IMPORTANT: Once a soil sample is collected for biological analysis, it needs to reach the lab at Trace Genomics as soon as possible (see shipping instructions below).

To maintain sample integrity:

Collect early in the week

Prevent sample overheating prior to shipping

Labeling Sample Bags

Sample bags should be labeled with the sample name and field written on the order form.

For example:

Sample name on order form: #1 Write on bag: Soil #1, [Field Name]

500-700 grams

Minimum Amount of Soil

1 lb or 1.5-2 cups or $\frac{3}{4}$ of our sampling bag.

Cleaning probe

Pobe lubricants

biological analysis.

We recommend cleaning your equipment with an alcohol solution after each field if possible.

Please avoid lubricants. Lubricants can impact the microbial communities and

Selecting Sample Locations

ANNUALS

- Follow grid, zone or composite approach.
- Collect samples from within rows and between plants.
- Collect at the same depth as for nutrient analysis when soil is not wet or frozen.

PERENNIALS

- Sample within the plant row, not in between rows. The goal is to sample around the roots and root hairs.
- Cores should be collected from the irrigation wetting zone, but we advise not to sample directly below an emitter and aim ideally between the trunk or vine and emitter.

Area

Select at least 2 locations to sample per field. Record GPS coordinates for each sample.

Grid—go to the center point and go 30 ft radius and sample in a circle around center point.

Zone—zigzag through the zone and collect cores quantity needed.

Soil Moisture

Moisture levels of 4-25% are ideal. Samples that are too dry can be difficult for analysis. Also avoid sampling soils that are waterlogged or above field capacity; wet samples are difficult for the lab to process. NOTE: As samples are collected, keep in mind that the following information is required to start an order in TraceVIEW:

Sample Name

Latitude/Longitude

Sampling Date

Minimum/Maximum Depth (with Units)

Current and Previous Crop

Core Inner Diameter (with Units)

Shipping Instructions

- Domestic prepaid FedEx labels are pre-filled with our shipping address: 615 S Bell Ave, Ames, IA 50010
- Include your TraceVIEW submittal form with your order number in your package.*
- Include filler material (packing paper, etc.) to prevent sample bags breaking open.
- *Failure to include order number in your package may result in a delay of results delivery.

your pac of result + + + +

This is about 8-10 cores per sample.

Depth and Quantity of Cores

Collect and place cores directly into the

If sampling at 0-8"

If sampling at 0-6"

Size of Probe

Inner diameter: 3/4 inch or 1 inch

sample bag until the bag is 3/4 full.

This is about 6-8 cores per sample.

A 12" sampling depth is not recommended for biology samples.

Customer Support

Do you have a question that wasn't answered in this guide? We're here to help!

Additional supporting documentation regarding sampling practices can be found on TraceVIEW's Help Center, which is accessible through your TraceVIEW account.



SUPPORT@TRACEGENOMICS.COM